

Écrous à sertir en aveugle Blind Rivet Nuts



Material : 316L Stainless Steel

Matière : Inox 316L

Head : Countersunk


Tête : Fraisée

Body : Hexagonal

Fût : Hexagonal

Body end : Closed End

Extrémité du fût : Borgne



Ø M	Ep min - max	Code	H	mm T(H)	Ø A	L	L.u	E	Ø D	X indicative data	daN	N.m	N.m	kg x1000
M2.5 x 0.45	1.0 - 1.7	01M025FHB017X	4.0	4.0	5.0	10.3	6.5	0.6	4.0	3.0	325	1.0	1.0	0.6
M3 x 0.50	1.1 - 1.7	01M030FHB017X	5.0	5.0	6.8	11.3	7.3	1.0	5.0	2.9	500	1.4	1.3	1.1
	1.1 - 2.3	01M030FHB023X	5.0	5.0	6.8	11.9	7.9	1.0	5.0	3.5	500	1.4	1.3	1.1
	2.3 - 3.0	01M030FHB030X	5.0	5.0	6.8	12.5	8.5	1.0	5.0	4.1	500	1.4	1.3	1.1
M4 x 0.70	1.1 - 2.1	01M040FHB021X	6.0	6.0	7.8	15.2	8.8	1.0	6.0	3.4	825	3.2	3.1	1.9
	1.8 - 3.0	01M040FHB030X	6.0	6.0	7.8	16.1	9.7	1.0	6.0	4.3	825	3.2	3.1	2.0
	2.5 - 3.7	01M040FHB037X	6.0	6.0	7.8	16.8	10.4	1.0	6.0	5.0	825	3.2	3.1	2.0
M5 x 0.80	1.1 - 2.5	01M050FHB025X	7.0	7.0	8.8	17.5	10.5	1.0	7.0	4.1	1150	6.4	6.1	2.9
	1.5 - 3.5	01M050FHB035X	7.0	7.0	8.8	18.5	11.5	1.0	7.0	5.1	1150	6.4	6.1	2.9
	3.0 - 4.5	01M050FHB045X	7.0	7.0	8.8	19.5	12.5	1.0	7.0	6.1	1150	6.4	6.1	3.0
M6 x 1.00	1.1 - 2.5	01M060FHB025X	9.0	9.0	10.8	20.9	12.5	1.0	9.0	4.5	1950	11.1	10.6	6.1
	1.5 - 3.5	01M060FHB035X	9.0	9.0	10.8	21.9	13.5	1.0	9.0	5.5	1950	11.1	10.6	6.2
	2.5 - 4.5	01M060FHB045X	9.0	9.0	10.8	22.9	14.5	1.0	9.0	6.5	1950	11.1	10.6	6.4
	3.5 - 5.5	01M060FHB055X	9.0	9.0	10.8	23.9	15.5	1.0	9.0	7.5	1950	11.1	10.6	6.5
M8 x 1.25	1.8 - 3.0	01M080FHB030X	11.0	11.0	13.8	24.8	15.3	1.5	11.0	5.2	3200	27	25.8	10.0
	2.2 - 4.2	01M080FHB042X	11.0	11.0	13.8	26.0	16.5	1.5	11.0	6.4	3200	27	25.8	10.2
	3.0 - 5.0	01M080FHB050X	11.0	11.0	13.8	26.8	17.3	1.5	11.0	7.2	3200	27	25.8	10.5
	4.5 - 6.5	01M080FHB065X	11.0	11.0	13.8	28.2	18.7	1.5	11.0	8.7	3200	27	25.8	10.7
M10 x 1.50	1.8 - 4.0	01M100FHB040X	13.0	13.0	15.8	31.9	19.5	1.5	13.0	7.0	4350	53	51	16.5
	2.5 - 5.5	01M100FHB055X	13.0	13.0	15.8	33.4	21.0	1.5	13.0	8.5	4350	53	51	17.0
	4.5 - 7.0	01M100FHB070X	13.0	13.0	15.8	34.9	22.5	1.5	13.0	10.0	4350	53	51	17.4
M12 x 1.75	2.5 - 4.2	01M120FHB042X	16.0	16.0	19.8	35.5	23.2	2.0	16.0	8.1	6500	92	88	27.9
	2.5 - 6.0	01M120FHB060X	16.0	16.0	19.8	36.2	23.9	2.0	16.0	9.9	6500	92	88	28.6
	4.0 - 7.6	01M120FHB076X	16.0	16.0	19.8	39.0	26.7	2.0	16.0	11.5	6500	92	88	29.3
	7.0 - 9.2	01M120FHB092X	16.0	16.0	19.8	39.6	27.4	2.0	16.0	13.1	6500	92	88	29.9
M14 x 2.00	3.0 - 5.0	01M140FHB050X	18.0	18.0	22.8	41.4	27.4	2.5	18.0	9.3	7800	148	142	41.5
	4.0 - 7.0	01M140FHB070X	18.0	18.0	22.8	43.6	29.6	2.5	18.0	11.3	7800	148	142	42.8
	7.0 - 9.0	01M140FHB090X	18.0	18.0	22.8	45.7	31.7	2.5	18.0	13.3	7800	148	142	44.1
M16 x 2.00	3.0 - 5.7	01M160FHB057X	21.0	21.0	25.8	44.4	28.5	2.5	21.0	10.9	10500	232	222	59.4
	3.5 - 8.2	01M160FHB082X	21.0	21.0	25.8	46.9	31.0	2.5	21.0	13.4	10500	232	222	61.3
	7.0 - 11.0	01M160FHB110X	21.0	21.0	25.8	49.7	33.5	2.5	21.0	16.2	10500	232	222	63.6

Écrou à sertir en aveugle correspondant à l'ancienne désignation H ... FB ... INOX MOLYBDENE
Blind Rivet Nuts corresponding to old designation H ... FB ... MOLYBDENUM STAINLESS STEEL